


**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. (Previously Presented) A metal laminate comprising:  
a layer of a resin composition obtained by compounding a bismaleimide compound represented by the following formula (1) in a polyamic acid and/or a polyimide:





wherein m denotes an integer of 2 or more, each X independently represents O, SO<sub>2</sub>, S, CO, or a direct bond and each R<sub>1</sub> independently represents a hydrogen atom, a halogen atom or a hydrocarbon group and is independent of any other as to the substitution position on the benzene ring in which X or N has a substitution position of meta to that of another X or N that is bonded to the same benzene ring; and

a metal foil layer,

wherein the layer of the resin composition is formed on at least one surface of the metal foil layer.


2. (Original) The metal laminate according to Claim 1, wherein the metal laminate has a structure in which the layer of the resin composition is formed on one surface or both surfaces of one or more polyimide film(s) and the metal foil layer is formed on one surface or both surfaces of the layer of the resin composition.

3. (Original) The metal laminate according to Claim 1, wherein the polyamic acid and/or the polyimide have repeat structural units represented by the following formula (2) and/or formula (3) respectively:



wherein n denotes an integer of 0 or more, each Y independently represents O, SO<sub>2</sub>, S, CO, CH<sub>2</sub>, C(CH<sub>3</sub>)<sub>2</sub>, C(CF<sub>3</sub>)<sub>2</sub> or a direct bond, A represents a tetravalent organic group and each R<sub>2</sub> independently represents a hydrogen atom, a halogen atom or a hydrocarbon group and is independent of any other R<sub>2</sub> as to the substitution position on the benzene ring.

4. (Original) The metal laminate according to Claim 3, wherein the tetravalent organic group represented by A is selected from the organic groups represented by the following formulae shown in (4):



wherein Z represents O, SO<sub>2</sub>, S, CO, CH<sub>2</sub>, C(CH<sub>3</sub>)<sub>2</sub>, C(CF<sub>3</sub>)<sub>2</sub> or a direct bond.

5. (Cancelled)

6. (Cancelled)

7. (New) The metal laminate according to claim 1, wherein the metal foil layer has a thickness of equal to or less than 150  $\mu\text{m}$ .